

شركة الألواح الخشبية التجارية

STARWOOD COLLECTION 2026

تشكيلة ستاروود 2026



+966 53 888 74 95 | +966 53 698 88 41 | +966 11 277 75 57 | +966 50 411 12 98

sales@woodpanelsco.com | www.woodpanelsco.com

شركة الألواح الخشبية

WOOD
PANELS^{LLC}
& SERVICE CENTER

Abi Al Fadl Al Jeeli 6981, Warehouse 3533 – Al Tuqaiq District – Kingdom of Saudi Arabia
طريق ابي الفضل الجيلي 6981، مستودع 3533 حي الطويق – الرياض | المملكة العربية السعودية

STARWOOD

SENKRON MFC 2026 COLLECTION



STARWOOD | SENKRON MFC WOOD DESIGN | 280*210*8/18/25



SW SIYAH SNK 002



SW AVRUPA SNK 326



SW AMERIKA SNK 329



SW AYTASI SENK 138



SW AFRIKA SNK 327



SW VIZON BEJ SNK 170



SW ASYA SNK 328

SW 002
SIYAH SENKRON



TEXTURED BLACK
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 138
AYTASI SENKRON



CHALKY OFF-WHITE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 170
VIZON BEJ SENKRON

WARM VIZON BEIGE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 326
AVRUPA SENKRON

SEPIA WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 327
AFRIKA SENKRON

ALMOND WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 328
ASYA SENKRON

TAN WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 329
AMERIKA SENKRON



BROWN WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40



STARWOOD

WOOD TEXTURE MFC COLLECTION



STARWOOD | MFC WOOD DESIGN | 280*210*8/18/25




SW 017 FREZE SONOMO




SW 188 ROTA GOLGE



SW 291 RAHLE DERIN



SW 319 LOTUS KEP



SW 063 DENİZ FENERİ GOLGE




SW 189 PUSULA GOLGE



SW 293 SEPET DERIN




SW 147 SOFYA KEPİ




SW 193 KESİF DERİN




SW 306 HITİT KEPİ



SW 185 UFUK KEPİ



SW 287 HEYBE DERİN



SW 318 ZAMBAK DERİN

SW 017
FREZE SONOMO

PURITAN PINE
280*210*8 / 18 / 25
PVC 1.0*22 / 40



SW 063

DENİZ FENERİ GOLGE



COOL TAUPE WOODGRAIN

280*210*8 / 18 / 25

PVC 1.0*22 / 40

SW 147
SOFIA KEPI

WEATHERED OAK
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 185
UFUK KEPI

NATURAL SANDY OAK
280*210*8 / 18 / 25
PVC 1.0*22 / 40



SW 188
ROTA GOLGE

BROWN WARM OAK
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 189
PUSULA GOLGE

LIGHT SANDY BEIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40



SW 193
KESIF DERIN

WALNUT BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 287
HEYBE DERIN

DEEP MOHCHA BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 291
RAHLE DERIN

BUTTERNUT
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 293
SEPET DERIN

GOLDEN OAK BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 306

HITIT KEPI

RUSTIC OAK

280*210*8 /18 /25

PVC 1.0*22 / 40



SW 318
ZAMBAK DERIN

BROWN WOOD GRAIN
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 319
LOTUS KEPI

LIGHT OAK
280*210*8 / 18 / 25
PVC 1.0*22 / 40




The background of the image features a soft, out-of-focus bokeh effect with warm, golden-yellow and light blue circular light spots. At the bottom of the frame, there is a horizontal section showing the natural grain and texture of a light-colored wooden surface.

STARWOOD


PLAIN MFC COLLECTION




STARWOOD | PLAIN MFC DESIGN | 280*210*8/18/25




SW 002 SIYAH BUTE



SW 139 KUMTASI NATUREL



SW 040 KUMSAL NATUREL




SW 159 LAKE GRI PARLAK



SW 044 ATLAS NATUREL




SW 161 DOLUNAI PARLAK



SW 066 KAR BEYAZ BUTE

PLAIN COLORS AVAILABLE IN MR


All MFC boards resist moisture, but the MR series offers extra protection for kitchens and other wet areas.



**SW 139 KUMTASI
MR**




SW 159 LAKE GRI MR




**SW 002 SIYAH BUTE
MR**



SW 161 DOLUNAY MR



**SW 066 KAR BEYAZ
MR**



**SW 044 ATLAS
Duz MR**

SW 002

SIYAH BUTE

PLAIN BLACK

280*210*8 /18 /25

PVC 1.0*22 / 40



SW 040
KUMSAL NATUREL



WARM BEIGE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 044
ATLAS NATUREL

PLAIN LATTE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 066
KAR BEYAZ BUTE

PLAIN WHITE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 139
KUMTASI NATUREL

PLAIN BEIGE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 159
LAKE GRI NATUREL

GREY BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 161
DOLUNAY NATUREL

LIGHT BEIGE
280*210*8 /18 /25
PVC 1.0*22 / 40



The background of the image features a soft, out-of-focus bokeh effect with warm, golden-yellow and white light spots. At the bottom, there is a horizontal band showing the texture of a light-colored wooden surface.

STARWOOD

TEXTURED MFC COLLECTION




STARWOOD | TEXTURED MFC DESIGN | 280*210*8/18/25



SW 046 TRAVERTEN DINAMIK



SW 119 DENIZ KABUGU DINAMIK



SW 300 BENDIR PARLAK




SW 323 KARTAL SUPERMAT



SW 062 VIZON KUMAS



SW 122 MERCAN DINAMIK




SW 303 GORDION DUZ



SW 114 ANEMON DINAMIK



SW 190 MOLA DUZ



SW 305 EFES PARLAK



SW 116 LAGUN DINAMIK



SW 285 BOHCA TEKSTIL



SW 322 PAPATYA SUPERMAT

SW 062
VIZON KUMAS TEKSTIL

LIGHT CLOTH TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 285
BOHCA TEKSTIL

BEIGE CLOTH TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 046
TRAVERTEN DINAMIK

WARM TRAVERTINE BEIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40



SW 114
ANEMON DINAMIK



MUTED GREIGE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 116
LAGUN DINAMIK

DUSTY TAUPE GRAY
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 119
DENİZ KABUGU DINAMİK



CHARCOAL GRAY
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 122
MERCAN DINAMIK

SOFT MARBLE GREIGE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 190

MOLA DUZ

IVORY ONYX WHITE

280*210*8 /18 /25

PVC 1.0*22 / 40



SW 300
BENDIR DUZ

BLACK MARBLE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 303
GORDION DUZ

GOLDEN BROWN MARBLE
280*210*8 / 18 / 25
PVC 1.0*22 / 40



SW 305

EFES DUZ

MARBLE PORCELAIN

280*210*8 /18 /25

PVC 1.0*22 / 40



SW 322
PAPATYA SUPERMAT

TAUPE STONE GREY
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 323
KARTAL SUPERMAT

CEMENT DARK GRAY
280*210*8 /18 /25
PVC 1.0*22 / 40



P2 SUPERFINE MFC



18mm P2-SUPERFINE CHIPBOARD TECHNICAL FEATURES

Chipboard Standard: TS EN 312 (P2)*

Specific Weight **	: 630 kg/m ³ (±15 kg/m ³)
Internal Bond	: 0,35 N/mm ² (min)
Bending Strength	: 11 N/mm ² (min)
Modulus Of Elasticity in Bending	: 1600 N/mm ² (min)
Thickness Tolerans	: ± 0,3mm
Moisture Content	: % 5-13
Release of formaldehyde	: E1(≤8mg/100gr for oven dry board)

Laminated Chipboard (surface) Standard: TS EN 14322

Abrasion Resistance	: 150 cycle
Resistance to Cracking	: 70 °C 24 hour
Water Steam Resistance	: 1 hour
Resistance to Staining	: 24 hour

* : P2 – Boards used indoors in dry conditions (including furniture)

** : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.

P7 MOISTURE RESISTANT



18mm P7- WATER RESISTANT CHIPBOARD TECHNICAL FEATURES

Chipboard Standard: TS EN 312 (P7)*

Specific Weight **	: 700 kg/m ³ (±15 kg/m ³)
Internal Bond	: 0,70 N/mm ² (min)
Bending Strength	: 20 N/mm ² (min)
Modulus Of Elasticity in Bending	: 3100 N/mm ²
Swelling to thickness (24 hours)	: % 10
Internal adhesion after boiling	: 0,23 N/mm ² (min)
Thickness Tolerans	: ± 0,3mm
Moisture Content	: % 5-13
Release of formaldehyde	: E1(≤8mg/100gr for oven dry board)

Laminated Chipboard (surface) Standard: TS EN 14322

Abrasion Resistance	: 150 cycle
Resistance to Cracking	: 70 °C 24 hour
Water Steam Resistance	: 1 hour
Resistance to Staining	: 24 hour

* : P7 – Heavy load bearing plates used in moisture conditions

** : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.

أطلب عينات الآن...

...وشكراً



ASK FOR **SAMPLES**

شركة الألواح الخشبية

WOOD
PANELS LLC
& SERVICE CENTER

Abi Al Fadl Al Jeeli 6981, Warehouse 3533 – Al Tuqaiq District – Kingdom of Saudi Arabia
طريق ابي الفضل الجيلي 6981، مستودع 3533 حي الطويق – الرياض | المملكة العربية السعودية –

+966 53 888 74 95 | +966 53 698 88 41 | +966 11 277 75 57 | +966 50 411 12 98

sales@woodpanelsco.com | www.woodpanelsco.com