

شركة الألواح الخشبية التجارية

STARWOOD COLLECTION 2026

تشكيلة ستاروود 2026



+966 53 888 74 95 | +966 53 698 88 41 | +966 11 277 75 57 | +966 50 411 12 98

sales@woodpanelsco.com | www.woodpanelsco.com

شركة الألواح الخشبية

WOOD
PANELS LLC
& SERVICE CENTER

Abi Al Fadl Al Jeeli 6981, Warehouse 3533 – Al Tuqaiq District – Kingdom of Saudi Arabia
طريق ابي الفضل الجيلي 6981، مستودع 3533 حي الطويق – الرياض | المملكة العربية السعودية



2026


MFC COLLECTION

شركة الألواح الخشبية
WOOD
PANELS^{LLC}
& SERVICE CENTER



STARWOOD

| SENKRON MFC WOOD DESIGN | 280*210*8/18/25




SW SIYAH SNK 002




SW AVRUPA SNK 326



SW AMERIKA SNK 329




SW AYTASI SENK 138



SW AFRIKA SNK 327



SW VIZON BEJ SNK 170



SW ASYA SNK 328




STARWOOD

| MFC WOOD DESIGN | 280*210*8/18/25




SW 017 FREZE SONOMO




SW 188 ROTA GOLGE



SW 291 RAHLE DERIN




SW 319 LOTUS KEP



SW 063 DENIZ FENERI GOLGE




SW 189 PUSULA GOLGE



SW 293 SEPET DERIN



SW 147 SOFYA KEPİ




SW 193 KESİF DERİN




SW 306 HITİT KEPİ



SW 185 UFUK KEPİ



SW 287 HEYBE DERİN



SW 318 ZAMBAK DERİN




STARWOOD | TEXTURED MFC DESIGN | 280*210*8/18/25



SW 046 TRAVERTEN DINAMIK



SW 119 DENIZ KABUGU DINAMIK



SW 300 BENDIR PARLAK




SW 323 KARTAL SUPERMAT



SW 062 VIZON KUMAS



SW 122 MERCAN DINAMIK




SW 303 GORDION DUZ



SW 114 ANEMON DINAMIK



SW 190 MOLA DUZ



SW 305 EFES PARLAK



SW 116 LAGUN DINAMIK




SW 285 BOHCA TEKSTIL




SW 322 PAPATYA SUPERMAT




STARWOOD | PLAIN MFC DESIGN | 280*210*8/18/25




SW 002 SIYAH BUTE



SW 139 KUMTASI NATUREL



SW 040 KUMSAL NATUREL




SW 159 LAKE GRI PARLAK



SW 044 ATLAS NATUREL



SW 161 DOLUNAI PARLAK



SW 066 KAR BEYAZ BUTE

PLAIN COLORS AVAILABLE IN MR


All MFC boards resist moisture, but the MR series offers extra protection for kitchens and other wet areas.




**SW 139 KUMTASI
MR**




SW 159 LAKE GRI MR




**SW 002 SIYAH BUTE
MR**



SW 161 DOLUNAY MR



**SW 066 KAR BEYAZ
MR**



**SW 044 ATLAS
Duz MR**



STARWOOD

KITCHEN

MFC APPLICATIONS

SW 002
BUTE SIYAH

2

PLAIN BLACK
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 319
DENİZ KABUGU DINAMİK

319


LIGHT OAK
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 305
EFES PARLAK

305

MARBLE PORCELAIN
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 285
BOHCA TEKSTIL

285

BEIGE CLOTH TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 327
AFRIKA SENKRON

327


ALMOND WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 305
EFES PARLAK

305

MARBLE PORCELAIN
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 066
KAR BEYAZ BUTE

66


PLAIN WHITE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 328
ASYA SENKRON


328

TAN WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER









STARWOOD

BEDROOM

MFC APPLICATIONS

SW 116
LAGUN DINAMIK

116


DUSTY TAUPE GRAY
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 327
AFRIKA SENKRON

327

ALMOND WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 122
MERCAN DINAMIK

122

SOFT MARBLE GREIGE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 287
HEYBE DERIN

287

DEEP MOHCHA BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS^{LLC}
& SERVICE CENTER



SW 122
MERCAN DINAMIK

122

SOFT MARBLE GREIGE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 318
ZAMBAK DERIN

318

BROWN WOOD GRAIN
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 114
ANEMON DINAMIK

114

MUTED GREIGE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 327
AFRIKA SENKRON

327

ALMOND WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40





STARWOOD

BATHROOM

MFC APPLICATIONS

SW 046
TRAVERTEN DINAMIK


46

WARM TRAVERTINE BEIGE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 300
BENDIR DUZ

300

BLACK MARBLE
280*210*8 /18 /25
PVC 1.0*22 / 40



SW 114
ANEMON DINAMIK

114

MUTED GREIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 287
HEYBE DERIN

287

DEEP MOHCHA BROWN
280*210*8 / 18 / 25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS^{LLC}
& SERVICE CENTER

TRANSFORM YOUR
BATHROOM WITH
MOISTURE
RESISTANT WOOD



STARWOOD

LIVING ROOM

MFC APPLICATIONS

SW 040
KUMSAL NATURAL

40

WARM BEIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 319
DENİZ KABUGU DINAMİK

319

LIGHT OAK
280*210*8 / 18 / 25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS^{LLC}
& SERVICE CENTER



SW 046
TRAVERTEN DINAMIK

46


WARM TRAVERTINE BEIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 318
ZAMBAK DERIN

318

BROWN WOOD GRAIN
280*210*8 / 18 / 25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS^{LLC}
& SERVICE CENTER



SW 119
DENİZ KABUGU DİNAMİK

119

CHARCOAL GRAY
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 138
AYTASI SENKRON

138
SENKRON

CHALKY OFF-WHITE
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS^{UD}
& SERVICE CENTER



SW 044
ATLAS NATUREL

44

PLAIN LATTE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 147
SOFIA KEPI

147

WEATHERED OAK
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 293
SEPET DERIN

293


GOLDEN OAK BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 323
KARTAL SUPERMAT

323

CEMENT DARK GRAY
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 062
VIZON KUMAS TEKSTIL

62

LIGHT CLOTH TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 303
GORDION DUZ

303

GOLDEN BROWN MARBLE
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 170
VIZON BEJ SENKRON

170
SENKRON

WARM VIZON BEIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 306
HITIT KEPI

306

RUSTIC OAK
280*210*8 / 18 / 25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS^{LLC}
& SERVICE CENTER



SW 322
PAPATYA SUPERMAT

322


TAUPE STONE GREY
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 326
AVRUPA SENKRON

326

SEPIA WOOD TEXTURE
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 139
KUMTASI NATUREL

139

PLAIN BEIGE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 327
AFRIKA SENKRON

327

ALMOND WOOD TEXTURE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER





STARWOOD

TV UNIT

MFC APPLICATIONS

SW 017
FREZE SONOMO

17


PURITAN PINE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 159
LAKE GRI NATUREL

159

GREY BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 119
DENİZ KABUGU DİNAMİK

119

CHARCOAL GRAY
280*210*8 / 18 / 25
PVC 1.0*22 / 40

SW 328
ASYA SENKRON

328

TAN WOOD TEXTURE
280*210*8 / 18 / 25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER





STARWOOD

DRESSER

MFC APPLICATIONS

063
DENIZ FENERI GOLGE

63

**COOL TAUPE
WOODGRAIN**
280*210*8 /18 /25
PVC 1.0*22 / 40

287
HEYBE DERIN

287

DEEP MOHCHA BROWN
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



SW 044
ATLAS NATUREL

44

PLAIN LATTE
280*210*8 /18 /25
PVC 1.0*22 / 40

SW 319
DENIZ KABUGU DINAMİK

319

LIGHT OAK
280*210*8 /18 /25
PVC 1.0*22 / 40

شركة الألواح الخشبية
WOOD
PANELS
& SERVICE CENTER



P2 SUPERFINE MFC



18mm P2-SUPERFINE CHIPBOARD TECHNICAL FEATURES

Chipboard Standard: TS EN 312 (P2)*

Specific Weight **	: 630 kg/m ³ (±15 kg/m ³)
Internal Bond	: 0,35 N/mm ² (min)
Bending Strength	: 11 N/mm ² (min)
Modulus Of Elasticity in Bending	: 1600 N/mm ² (min)
Thickness Tolerans	: ± 0,3mm
Moisture Content	: % 5-13
Release of formaldehyde	: E1(≤8mg/100gr for oven dry board)

Laminated Chipboard (surface) Standard: TS EN 14322

Abrasion Resistance	: 150 cycle
Resistance to Cracking	: 70 °C 24 hour
Water Steam Resistance	: 1 hour
Resistance to Staining	: 24 hour

* : P2 – Boards used indoors in dry conditions (including furniture)

** : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.

P7 MOISTURE RESISTANT



18mm P7- WATER RESISTANT CHIPBOARD TECHNICAL FEATURES

Chipboard Standard: TS EN 312 (P7)*

Specific Weight **	: 700 kg/m ³ (±15 kg/m ³)
Internal Bond	: 0,70 N/mm ² (min)
Bending Strength	: 20 N/mm ² (min)
Modulus Of Elasticity in Bending	: 3100 N/mm ²
Swelling to thickness (24 hours)	: % 10
Internal adhesion after boiling	: 0,23 N/mm ² (min)
Thickness Tolerans	: ± 0,3mm
Moisture Content	: % 5-13
Release of formaldehyde	: E1(≤8mg/100gr for oven dry board)

Laminated Chipboard (surface) Standard: TS EN 14322

Abrasion Resistance	: 150 cycle
Resistance to Cracking	: 70 °C 24 hour
Water Steam Resistance	: 1 hour
Resistance to Staining	: 24 hour

* : P7 – Heavy load bearing plates used in moisture conditions

** : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.

أطلب عينات الآن...

...وشكراً



ASK FOR **SAMPLES**

شركة الألواح الخشبية

WOOD
PANELS LLC
& SERVICE CENTER

Abi Al Fadl Al Jeeli 6981, Warehouse 3533 – Al Tuqaiq District – Kingdom of Saudi Arabia
طريق ابي الفضل الجيلي 6981، مستودع 3533 حي الطويق – الرياض | المملكة العربية السعودية –

+966 53 888 74 95 | +966 53 698 88 41 | +966 11 277 75 57 | +966 50 411 12 98

sales@woodpanelsco.com | www.woodpanelsco.com