

# شركة الألواح الخشبية التجارية

شركة الألواح الخشبية  
**WOOD**  
**PANELS**<sup>LLC</sup>  
& SERVICE CENTER



STARWOOD COLLECTION 2025

تشكيلة ستاروود 2025

# MFC MELAMINE FACED CHIPBOARDS

## ABOUT:

MFC CONSISTS OF WOOD PARTICLES  
PRESSED WITH ADHESIVE RESIN TO FORM A  
CORE. A PROTECTIVE AND DECORATIVE  
MELAMINE OVERLAY, INFUSED WITH RESIN, IS  
THEN APPLIED TO DETERMINE ITS FINAL  
APPEARANCE.

## CHARACTERISTICS:

VERSATILITY, COST EFFECTIVENESS,  
DURABILITY, LARGE COLOR AND TEXTURE  
VARIETY, EASY TO CLEAN AND MAINTAIN,  
NON-POROUS AND WATER RESISTANT -  
SUITABLE FOR BOTH RESIDENTIAL AND  
COMMERCIAL APPLICATIONS.

## APPLICATIONS:

HEALTHCARE AND FOOD ENVIRONMENTS,  
HIGH-TRAFFIC SPACES, FURNITURE, KITCHEN  
AND BATHROOM CABINETS, CUPBOARDS,  
SHELVES, WARDROBES, DESKS AND MORE.



# شيبورد الميلامين

## نبذة مختصرة:

تتكون شيبوردات الميلامين MFC من جزيئات الخشب المضغوطة  
مع راتنج لاصق لتكوين قلب. يتم بعد ذلك تطبيق طبقة ميلامين واقية  
وزخرفية، مملوءة بالراتنج، لتحديد مظهرها النهائي.

## الخصائص:

تعدد الاستخدامات، فعالية التكلفة، المتانة، تنوع كبير في الألوان  
واللمس، سهل التنظيف والصيانة، غير مسامي ومقاوم للماء -  
مناسبة للماحات السكنية والتجارية.

## الاستخدامات:

بنات الرعاية الصحية والغذاء، والمساحات ذات حركة  
المرور العالية، والأثاث، وخزائن المطبخ والحمام،  
والخزائن، والأرفف، المكاتب وغيرها.

# EDGE BANDING

## ABOUT:

EDGE BANDING IS A FINISHING PRODUCT MADE OF PVC OR ABS, IT IS A THIN AND FLEXIBLE BAND APPLIED TO THE EDGES OF PANELS TO CONCEAL SIDE AREAS AND PREVENT MOISTURE DAMAGE WHILE ENSURING MATCHING COLOR, GRAIN, AND TEXTURE FOR A POLISHED APPEARANCE.

## CHARACTERISTICS:

PROTECTION, AESTHETICS, VERSATILITY, FLEXIBILITY, DURABILITY, EASE OF MAINTENANCE AND INSTALLATION AS WELL AS COMPATIBILITY WITH ALL WOOD AND NON-WOOD SURFACES.

## APPLICATIONS:

EDGE BANDING IS USED ON ALL MFC, MDF, PLYWOOD, NATURAL WOOD OR OTHER SURFACES.

## AVAILABLE SIZES:

100 METER ROLLS OF 0.8MM TO 2MM THICKNESS, WITH VARIANT BELT SIZES OF 22 MM, 28 MM, 40 MM AND 50 MM WIDE.



# احزمة تقشيط

## نبذة مختصرة:

منتج تشطبيي مصنوع من PVC أو ABS، وهو شريط ومرن يتم تطبيقه على حواف الألواح لإخفاء المناطق المكشوفة ومنع تلف الرطوبة مع ضمان تطابق اللون والنسيج والقوام للحصول على مظهر مصقول.

## الخصائص:

الحماية، الجماليات، التنوع، المرونة، المتانة، سهولة الصيانة والتركيب، بالإضافة إلى التوافق مع جميع الأسطح الخشبية وغير الخشبية.

## الاستخدامات:

تُستخدم الأطراف على جميع ألواح MFC، MDF، الخشب الرقائقي، الخشب الطبيعي أو الأسطح الأخرى.

## المقاسات المتوفرة:

بكرات بطول 100 متر وبسماكة من 0.8 ملم إلى 2 ملم، مع أحجام شريط متنوعة بعرض 22 ملم، 28 ملم، 40 ملم و50 ملم.



# P2 SUPERFINE MFC



## 18mm P2-SUPERFINE CHIPBOARD TECHNICAL FEATURES

### Chipboard Standard: TS EN 312 (P2)\*

|                                  |                                                  |
|----------------------------------|--------------------------------------------------|
| Specific Weight **               | : 630 kg/m <sup>3</sup> (±15 kg/m <sup>3</sup> ) |
| Internal Bond                    | : 0,35 N/mm <sup>2</sup> (min)                   |
| Bending Strength                 | : 11 N/mm <sup>2</sup> (min)                     |
| Modulus Of Elasticity in Bending | : 1600 N/mm <sup>2</sup> (min)                   |
| Thickness Tolerans               | : ± 0,3mm                                        |
| Moisture Content                 | : % 5-13                                         |
| Release of formaldehyde          | : E1(≤8mg/100gr for oven dry board)              |

### Laminated Chipboard (surface) Standard: TS EN 14322

|                        |                 |
|------------------------|-----------------|
| Abrasion Resistance    | : 150 cycle     |
| Resistance to Cracking | : 70 °C 24 hour |
| Water Steam Resistance | : 1 hour        |
| Resistance to Staining | : 24 hour       |

\* : P2 – Boards used indoors in dry conditions (including furniture)

\*\* : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.

# P7 MOISTURE RESISTANT



## 18mm P7- WATER RESISTANT CHIPBOARD TECHNICAL FEATURES

### Chipboard Standard: TS EN 312 (P7)\*

|                                  |                                                  |
|----------------------------------|--------------------------------------------------|
| Specific Weight **               | : 700 kg/m <sup>3</sup> (±15 kg/m <sup>3</sup> ) |
| Internal Bond                    | : 0,70 N/mm <sup>2</sup> (min)                   |
| Bending Strength                 | : 20 N/mm <sup>2</sup> (min)                     |
| Modulus Of Elasticity in Bending | : 3100 N/mm <sup>2</sup>                         |
| Swelling to thickness (24 hours) | : % 10                                           |
| Internal adhesion after boiling  | : 0,23 N/mm <sup>2</sup> (min)                   |
| Thickness Tolerans               | : ± 0,3mm                                        |
| Moisture Content                 | : % 5-13                                         |
| Release of formaldehyde          | : E1(≤8mg/100gr for oven dry board)              |

### Laminated Chipboard (surface) Standard: TS EN 14322

|                        |                 |
|------------------------|-----------------|
| Abrasion Resistance    | : 150 cycle     |
| Resistance to Cracking | : 70 °C 24 hour |
| Water Steam Resistance | : 1 hour        |
| Resistance to Staining | : 24 hour       |

\* : P7 – Heavy load bearing plates used in moisture conditions

\*\* : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.



TECHNICAL  
CERTIFICATIONS  
&  
SPECIFICATIONS

# **STARWOOD** 2025

**SENKRON** MFC COLLECTION

**MOISTURE RESISTANT** MFC COLLECTION

# SENKRON MFC COLLECTION

SENKRON IS PART OF THE PANGEA COLLECTION OF STARWOOD THAT'S TYPICALLY MFC BOARDS THAT HAVE DEEP SYNCHRONIZED 3D TEXTURE ON TOP OF THE IMPREGNATED PAPER MATCHING THEIR DESIGN PATTERN.

SIZES: 280 X 210 X 8MM AND 280 X 210 X 8MM (WITH SOME IN MDF 6MM THICKNESS)



SW SIYAH SNK 002



SW ASYA SNK 328



SW AVRUPA SNK 326



SW AMERIKA SNK 329



SW AFRIKA SNK 327


# MOISTURE RESISTANT MFC COLLECTION

THOUGH ALL MFC BOARDS ARE SOMEHOW RESISTANT TO MOISTURE, THE MOISTURE RESISTANT SERIES [MR] PROVIDE AN EVEN HIGHER RESISTANCE TO MOISTURE TO BE USED IN KITCHENS AND OTHER WATER PRONE SURFACES.


SIZES: 280 X 210 X 18MM




SW SIYAH BUTE MR 002




SW KUNTASI NT MR 139




SW ATLAS DUZ MR 044



SW LAKE GRI PRLK MR 159



SW KAR BEYAZ MR 066




SW DOLUNAY PRLK MR 161



**326**

Avrupa / SNK



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM

**PVC:**

1.0\*22 & 40MM





**327**

Afrika / SNK



**AVAILABLE MFC SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM

**MDF SINGLE FACE:**

- 280 x 210 x 6MM

**PVC:**

1.0\*22, 40 & 50MM





**328**

ASYA / SNK



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM

**PVC:**

1.0\*22 & 40MM



**329**

Amerika / SNK



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM

**PVC:**

1.0\*22 & 40MM





**002**

Siyah Bute/ SNK



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM

**PVC:**

1.0\*22 & 40MM

**STARWOOD** 2025




## STARWOOD WOOD DESIGN



SW FREZE SONOMO 017



SW SOFYA KEPİ 147



SW ZAMBAK DERİN 318



SW KRISTAL SM 020




SW RAHLE DERİN SF 291




SW LOTUS KEPİ 319



SW ULUDAG MESE 091



SW HITİT KEPİ 306




SW YUNUS GOLGE 320



SW BERLIN KEPİ 142




SW BALABAN GOLGE 317



SW KAPLAN GOLGE 321

## TEXTURED DESIGN



SW VIZON KUMAS 062




SW EFES PRLK 305




SW BOHCA TEXTİL 285



SW PAPATYA SM 322



SW BENDİR PRLK 300




SW KARTAL SM 323




SW GORDION DUZ 303


## PLAIN COLORS



SW SIYAH BUTE 002




SW LAKE GRI PRLK 159



SW ATLAS DUZ 044



SW DOLUNAY PRLK 161




SW KAR BEYAZ BUTE 066



SW KUMTASI NT 139

# 044

Atlas Duz



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22, 28 & 40MM





# 147

Sofya Kepi



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





# 285

## Bohca Textil



### AVAILABLE MFC SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

### MDF SINGLE FACE:

- 280 x 210 x 5MM

### PVC:

1.0\*22 &40MM





# 291

Rahle Derin



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





# 300

Bendir Parlak



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**


1.0\*22 & 40MM





# 303

Gordion Duz



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM


**PVC:**

1.0\*22 & 40MM



# 305

Efes Parlak



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





# 306

Hitit Kepi



**AVAILABLE MFC SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**MDF SINGLE FACE:**

- 280 x 210 x 5MM

**PVC:**

1.0\*22 &40MM





# 317

Golge Balaban



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**


1.0\*22 & 40MM





# 318

Zambak Derin



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





# 319

Lotus Kepi



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





# 320

Yunus Golge



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**


1.0\*22 & 40MM





# 321

Kaplan Golge



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





# 322

Papatya



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM



# 323

Kartal



**AVAILABLE SIZES:**

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

**PVC:**

1.0\*22 & 40MM





## MFC 2D TEXTURE RANGE

AVAILABLE SIZES:

280 x 210 x 8MM | 280 x 210 x 18MM | 280 x 210 x 25MM AND PVC EDGE BANDING OF 1.0 \* 22MM, 28MM AND 40MM

**142** Berlin Kepi



**017** Freze Sonomo



ALSO AVAILABLE IN MDF 5MM

**091** Uludag Mese




ALSO AVAILABLE IN MDF 4MM

**020** Kristal SM



# STARWOOD NATURAL MFC PLAIN COLOR RANGE [AVAILABLE SIZES: 280 x 210 x 8MM | 280 x 210 x 18MM | 280 x 210 x 25MM]

**066** Kar Beyaz




ALSO AVAILABLE IN MDF 5MM

**139** Kumtasi NT



**161** Dolunay Parlak



ALSO AVAILABLE IN MDF 5MM

**002** Siyah Bute



ALSO AVAILABLE IN MDF 5MM

**062** Vizon Kumas



ALSO AVAILABLE IN MDF 5MM

**159** Lake Gri



أطلب عينات الآن...

...وشكراً



ASK FOR **SAMPLES**

شركة الألواح الخشبية

**WOOD**

**PANELS** LLC

& SERVICE CENTER

Abi Al Fadl Al Jeeli 6981, Warehouse 3533 – Al Tuqaiq  
District – Kingdom of Saudi Arabia

طريق ابي الفضل الجيلي 6981، مستودع 3533 حي الطويق – الرياض |  
المملكة العربية السعودية –

هاتف: | 966 53 888 74 95 | 966 53 698 88 41 | 966 11 277 75 57  
sales@woodpanelsco.com | www.woodpanelsco.com